


EXD2 governs germ stem cell homeostasis and lifespan by promoting mitoribosome integrity and translation

Joana Silva¹, Suvi Aivio^{1,13}, Philip A. Knobel^{1,14}, Laura J. Bailey², Andreu Casali¹, Maria Vinaixa^{3,4}, Isabel Garcia-Cao¹, Étienne Coyaud^{5,6}, Alexis A. Jourdain^{7,8,9}, Pablo Pérez-Ferreros^{1,15}, Ana M. Rojas¹⁰, Albert Antolin-Fontes¹, Sara Samino-Gené^{3,4}, Brian Raught^{5,6}, Acaimo González-Reyes¹¹, Lluís Ribas de Pouplana^{1,12}, Aidan J. Doherty², Oscar Yanes^{3,4} and Travis H. Stracker^{1*}

dEXD2-deficient flies (*D. melanogaster* orthologue EXD2 depleted) exhibited impaired respiration



Reduced oxygen consumption in dEXD2-deficient flies is not rescued with NAC treatment. Measurements from $n = 4$ or $n = 3$ (NAC samples) independent experiments are plotted. Mean \pm S.d. * $P < 0.05$, *** $P < 0.001$, one-way ANOVA with Dunnett's test.

Reference: Silva J, Aivio S, Knobel PA, Bailey LJ, Casali A, Vinaixa M, Garcia-Cao I, Coyaud É, Jourdain AA, Pérez-Ferreros P, Rojas AM, Antolin-Fontes A, Samino-Gené S, Raught B, González-Reyes A, Ribas de Pouplana L, Doherty AJ, Yanes O, Stracker TH (2018) EXD2 governs germ stem cell homeostasis and lifespan by promoting mitoribosome integrity and translation. Nat Cell Biol 20:162-74.